LIST OF CONTENTS

Volume 144

Page

BARRETT, H. G. See CRANBROOK, THE EARL OF

BELLAIRS, A. D'A.
Cleft palate, microphthalmia and other malformations in embryos of lizards and snakes. (2 plates and 4 figures)..... 239

BERRY, A. J.
Reproduction and breeding fluctuations in *Hydrocena monterosatiana* a Malayan limestone archaeogastropod. (3 figures)..... 219

BERRY, P. Y.
The diet of some Singapore Anura (Amphibia). (1 figure)..... 163

BERTMAR, GUNNAR
On the development of the jugular and cerebral veins in fishes. (25 figures)..... 87

BRINKHURST, R. O.
A revision of the genera *Stylodrilus* and *Bythonomus* (Oligochaeta, Lumbriculidae). (2 figures)..... 431

BROWN, J. C. and TWIGG, G. I.
Some observations on grey squirrel dreys in an area of mixed woodland in Surrey..... 131

CORBET, G. B. and JONES, L. A.
The specific characters of the crested porcupines, subgenus *Hystrix*. (9 figures)..... 285

COX, F. E. G.
Apodemus sylvaticus fostered on *Mus musculus*..... 150

CRANBROOK, THE EARL OF and BARRETT, H. G.
Observations on noctule bats (*Nyctalus noctula*) captured while feeding ; with an appendix on net shyness by F. Yates..... 1

CROSSKEY, R. W.
The immature stages and affinities of the tachinid fly *Glaurocara flava*, a parasite of the African bush-cricket *Homorocoryphus nitidulus vicinus*. (1 plate and 18 figures)..... 203

DAVIS, D. H. S.
The affinities of the South African gerbils of the genus *Tatera* : Corrections and notes..... 323

EVANS, M. E. G.
An interpretation of gular size in some adult Coleoptera. (6 figures) 403

Page

FRYER, GEOFFREY
Predation and its effects on migration and speciation in African fishes: A comment. With further comments by P. H. GREENWOOD, a reply by P. B. N. JACKSON and a footnote and postscript by G. FRYER..... 301

GREEN, J.
Zooplankton of Lakes Mutanda, Bunyonyi and Mulehe. (3 figures) 383

GREENWOOD, P. H. See FRYER, GEOFFREY

HAQ, S. M.
Development of the copepod *Euterpina acutifrons* with special reference to dimorphism in the male. (11 figures)..... 175

HARRISON, DAVID L. See LEWIS, ROBERT E.

HUGHES, ARTHUR
The development of behaviour in *Eleutherodactylus martinicensis* (Amphibia, Anura). (3 figures)..... 153

JACKSON, P. B. N. See FRYER, GEOFFREY

JONES, L. A. See CORBET, G. B.

KABATA, Z.
Systematic position of the copepod *Lernaeocera centropristi*. (3 figures)..... 351

LANGLEY, P. A.
The neuroendocrine system and stomatogastric nervous system of the adult tsetse fly *Glossina morsitans*. (1 plate and 2 figures) 415

LAWRENCE, R. F.
Some new or little known Solifugae from Southern Africa. (3 figures)..... 47

LEWIS, J. G. E.
The food and reproductive cycles of the centipedes *Lithobius variegatus* and *Lithobius forficatus* in a Yorkshire woodland. (8 figures)..... 269

LEWIS, JOANNE H. See LEWIS, ROBERT E.

LEWIS, ROBERT E., LEWIS, JOANNE H. and HARRISON, DAVID L.
On a collection of mammals from northern Saudi Arabia. (1 plate and 1 figure)..... 61

LIAT, LIM BOO
The Malayan whiskered flying squirrel *Petinomys genibarbis malaccanus*. (2 plates)..... 565

MONTAGU, THE HON. IVOR
Communication on the current survival in Mongolia of the wild horse (*Equus przewalskii*), wild camel (*Camelus bactrianus ferus*) and wild ass (*Equus hemionus*). (1 plate and 2 figures)..... 425

Page

MULLER, RALPH
The histochemical localization of phosphatases and esterases in *Australorbis glabratus*. (4 plates)..... 229

NAYLOR, E.
Biological effects of a heated effluent in docks at Swansea, S. Wales. (4 figures)..... 253

NEWELL, G. E.
The eye of *Littorina littorea*. (2 plates and 4 figures)..... 75

NEWELL, RICHARD
The role of detritus in the nutrition of two marine deposit feeders, the prosobranch *Hydrobia ulvae* and the bivalve *Macoma balthica*. (9 figures)..... 25

NOTES AND ABSTRACTS :
Report on the meetings of the Society for scientific business, April 1964, p. 425 ; May 1964, p. 428 ; June 1964, p. 428 ; October 1964, p. 429 ; November 1964, p. 429 ; Communication on the current survival in Mongolia of the wild horse (*Equus przewalskii*), wild camel (*Camelus bactrianus ferus*) and wild ass (*Equus hemionus*) (1 plate and 2 figures) by IVOR MONTAGU, p. 425.

NOTES ON BRITISH MAMMALS No. 10..... 131

OWEN, D. F.
A population study of an equatorial land snail, *Limicolaria martensiana* (Achatinidae). (3 figures)..... 361

RIGBY, JOYCE E.
Succinea putris : a terrestrial opisthobranch mollusc. (1 plate and 11 figures)..... 445

SELMAN, B. J.
The circulatory system of the alder fly *Sialis lutaria*. (42 figures) 487

DE SILVA, P. H. D. H.
New species and records of polychaeta from Ceylon. (14 figures) 537

SPRINZ, R.
A note on the mandibular intra-articular disc in the joints of Marsupialia and Monotremata. (8 figures)..... 327

STEBBINGS, R. E.
Observations during sixteen years on winter roosts of bats in west Suffolk. (1 plate)..... 137

STEPHENSON, N. G.
Heterochronous changes among Australian leptodactylid frogs. (1 plate and 2 figures)..... 339

TURNER, D. T. L.
A contribution to the ecology and taxonomy of the vole *Microtus arvalis* on the island of Westray, Orkney..... 143

Page

TWIGG, G. I. See BROWN, J. C.

YALDEN, D. W.
Running in the mole *Talpa europaea* 134

YATES, F. See CRANBROOK, THE EARL OF

INDEX

Vol. 144.—Pages 1–567

[New names in clarendon type. Systematic references in italics.]

acanthias, Squalus, 89.
Acipenser gyldenstaedti, 89.
—— *ruthenus*, 89.
—— *stellatus*, 89.
acutifrons, Euterpina, 175.
aeneus, Harpalus, 407.
aethiopicus, Metadiaptomus, 388.
africaeaustralis, Hystrix, 296, 299.
agilis, Ilyocryptus, 400.
——, *Lacerta*, 247.
Allactaga euphratica, 65.
Alona diaphana, 401.
—— *pulchella*, 401.
Amia calva, 89.
amphitrite, Balanus, 265.
ampullifera, Harmothoë, 538.
anomalus, Chaoborus, 386.
Anuraeopsis fissa, 389.
Apodemus sylvaticus, 150.
arabicus, Lepus arabicus, 65.
arvalis, Microtus, 143.
Ascidiella aspersa, 265.
asiaticus, Stylodrilus, 436.
aspersa, Ascidiella, 265.
Augeneria **dayi**, sp. n., 546.
aurantiacus, Stylodrilus, 438.
auritus, Plecotus, 138.
australis, Axiothella, 555.
Australorbis glabratus, 229.
Axiothella australis, 555.
—— *obockensis*, 556.

Balanus amphitrite, 265.
balthica, Macoma, 25.
Barbastella barbastellus, 138.
barbastellus, Barbastella, 138.
berus, Vipera, 247.
Bhawania myrialepis, 539.
Blossiola **singularis**, sp. n., 55.
bogoyawlenskyi, Tylonereis, 543.
bouvieri, Hemiblossia, 58.
Brachionus calyciflorus, 390.
—— *caudatus*, 390.
—— *falcatus*, 390.
—— *quadridentatus*, 390.
brachystylus, Stylodrilus, 434.
brachyurus, Setonyx, 329.
Branchiocapitella singularis, 555.
Branchiomma cingulata **pererai**, subsp. n., 558.
brevicollis, Nebria, 407.
broadleyi, *Solpugema*, sp. n., 52.
Broomiella **browni**, sp. n., 54.
browni, *Broomiella*, sp. n., 54.
bulla, Lecane, 390.
burmensis, Nereis (*Ceratonereis*), 546.
butleri, Microhyla, 163.
Bythonomus, 431.

calva, Amia, 89.
calyciflorus, Brachionus, 390.
Camelus bactrianus ferus, 425.
canicula, Scyllium, 89.
caraboides, Cychrus, 407.
Carcinus, 263.
Caridina nilotica, 389.
carolinensis, Sciurus, 131.
caudatus, Brachionus, 390.
celeripes, Solpuga, 49.
centropristi, Lernaeocera, 351.
Ceriodaphnia cornuta, 387.
—— *reticulata*, 387.
cernosvitovi, Stylodrilus, 436.
Chaoborus anomalus, 386.
chattoni, Trichocerca, 390.
cheesmani, Gerbillus cheesmani, 71.
chilkaensis, Nereis, 543.
Chydorus eurynotus, 401.
—— *globosus*, 401.
Ciona intestinalis, 265.
circellaris, Sipalia, 406.
cirratulus, Nerine, 553.
cirrifera, Prionospio, 554.
cooki, Pseudochirus, 329.
cornuta, Ceriodaphnia, 387.
crassus, Meriones crassus, 72.
——, *Stylodrilus*, 437.
cristata, Hystrix, 298.
cuprea, Diopatra, 548.
curvirostris, Daphnia, 386.
Cychrus caraboides, 407.
Cypridopsis trigonellus, 401.

Daphnia curvirostris, 386.
—— *laevis*, 387.
—— *longispina*, 387.
Dasyurus, 329.
dasyurus, Gerbillus dasyurus, 70.
daubentoni, Myotis, 138.
dayi, *Augeneria*, sp. n., 546.
decorus, Philonthus, 406.
diaphana, Alona, 401.
dibranchiata, Onuphis, 549.
Didelphys, 329.
Diopatra cuprea, 548.
dolichoptera, Polyarthra, 391.
dubia, Moina, 388.

Ectocyclops phaleratus rubescens, 401.
Eleutherodactylus martinicensis, 153.
emini, Potamonautes, 402.
Equus hemionus, 425.

Equus przewalskii, 425.
eremita, Onuphis, 549.
euacanthus, Eucyclops, 401.
Eucyclops euacanthus, 401.
—— *serrulatus*, 401.
euphratica, Ailactaga, 65.
europaea, Talpa, 134.
eurynotus, Chydorus, 401.
Euterpina acutifrons, 175.

falcatus, Brachionus, 390.
Feronia madida, 411.
ferrumequinum, Rhinolophus, 140.
ferus, Camelus bactrianus, 425.
Filinia longiseta, 391.
fissa, Anuraeopsis, 389.
flava, Glaurocara, 203.
forficatus, Lithobius, 269.
forsteri, Neoceratodus, 89.

galeata, Hystrix, 296.
Gazella dorcas saudiya, 65.
Gerbillus cheesmani cheesmani, 71.
—— *dasyurus dasyurus*, 70.
—— *nanus*, 69.
glabratus, Australorbis, 229.
Glauertia russelli, 339.
Glaurocara flava, 203.
globosus, Chydorus, 401.
Glossina morsitans, 415.
Glycera lancadivae, 549.
—— **taprobanensis,** sp. n., 550.
gravelyi, Odontosyllis, 542.
gyldenstaedti, Acipenser, 89.
Gyrohypnus myrmecophilus, 406.

Halla parthenopeia, 548.
Harmothoë ampullifera, 538.
Harpalus aeneus, 407.
harrisi, Sarcophilus, 329.
Hemiblossia bouvieri, 58.
—— **termitophila,** sp. n., 57.
hemionus, Equus, 425.
Hepsetus odoë, 89.
heringianus, Stylodrilus, 433, 434.
Heteromastus similis, 554.
heymonsii, Microhyla, 163.
hirsutirostris, Hystrix, 297.
Homorocoryphus nitidulus vicinus, 203.
Hydrobia ulvae, 25.
Hydrocena monterosatiana, 219.
Hydroides, 265.
Hystrix africaeaustralis, 296, 299.
—— *cristata*, 298.
—— *galeata*, 296.
—— *hirsutirostris*, 297.
—— *indica*, 296, 297.
—— *stegmanni*, 295.

Ilyocryptus agilis, 400.
indica, Hystrix, 296, 297.
——, *Namalycastis*, 543.
——, *Scolelepis*, 554.
intestinalis, Ciona, 265.
irma, Macropus, 329.

Jaculus jaculus vocator, 66.
johnstoni, Trichosurus vulpecula, 329.
jousseaumei, Leonnates, 543.

kalkudaensis, *Naineris* (*Polynaineris*), sp. n., 553.
Kaloula pulchra, 163.
Keratella tropica, 390.
knightjonesi, *Spirorbis* (*Leodora*), sp. n., 559.

Lacerta agilis, 247.
—— *lepida*, 240.
—— *vivipara*, 247.
laevis, Daphnia, 387.
lancadivae, Glycera, 549.
lankesteri, Stylodrilus, 439.
Lecane bulla, 390.
lemani, Stylodrilus, 438.
Leonnates jousseaumei, 543.
lepida, Lacerta, 240.
Leptobrachium nigrops, 163.
leptochaeta, Potamilla, 559.
Lepus arabicus arabicus, 65.
Lernaeocera centropristi, 351.
leuckarti, Mesocyclops, 388.
leucocephalus, Stylodrilus, 435.
leucomystax, Rhacophorus, 163.
Limicolaria martensiana, 361.
limnocharis, Rana, 163.
Lithobius forficatus, 269.
—— *variegatus*, 269.
littorea, Littorina, 75.
Littorina littorea, 75.
longiseta, Filinia, 391.
longispina, Daphnia, 387.
ludlowi, Paraechinus aethiopicus, 63.
lutaria, Sialis, 487.

Macoma balthica, 25.
Macrocyclops albidus oligolasius, 401.
Macropus irma, 329.
madida, Feronia, 411.
malaccanus, Petinomys genibarbis, 565.
Marphysa mossambica, 548.
martensiana, Limicolaria, 361.
martinicensis, Eleutherodactylus, 153.
Meriones crassus crassus, 72.
—— *libycus syrius*, 71.
Mesocyclops leuckarti, 388.
—— (*Thermocyclops*) *schuurmanae*, 388.
Metachirus nudicaudatus, 329.
Metadiaptomus aethiopicus, 388.
Microhyla butleri, 163.
—— *heymonsii*, 163.
Microtus arvalis, 143.
mira, Pedalia, 391.
mirus, Stylodrilus, 436.
Moina dubia, 388.
monterosatiana, Hydrocena, 219.
morsitans, Glossina, 415.
mossambica, Marphysa, 548.
Mus musculus, 68, 150.
musculus, Mus, 68, 150.
Myotis daubentoni, 138.
—— *mystacinus*, 138.
—— *nattereri*, 138.
myrialepis, Bhawania, 539.
myrmecophilus, Gyrohypnus, 406.
mystacinus, Myotis, 138.

Naineris (*Polynaineris*) **kalkudaensis,** sp. n., 553.

Namalycastis indica, 543.
nanus, Gerbillus, 69.
nattereri, Myotis, 138.
Neanthes **negomboensis,** sp. n., 543.
Nebria brevicollis, 407.
negomboensis, *Neanthes*, sp. n., 543.
Neoceratodus forsteri, 89.
Nephtys polybranchia, 546.
Nereis (*Ceratonereis*) *burmensis*, 546.
—— *chilkaensis*, 543.
—— *trifasciata*, 543.
Nerine cirratulus, 553.
nigrops, Leptobrachium, 163.
nilotica, Caridina, 389.
noctula, Nyctalus, 1.
nocturna, *Solpuga strepsiceros*, subsp. n., 51.
nudicaudatus, Metachirus, 329.
Nyctalus noctula, 1.

obockensis, Axiothella, 556.
odoĕ, Hepsetus, 89.
Odontosyllis gravelyi, 542.
olens, Staphylinus, 406.
oligolasius, Macrocyclops albidus, 401.
Onuphis dibranchiata, 549.
—— *eremita*, 549.
opisthoannulatus, Stylodrilus, 436.
opoliensis, Tetramastix, 392.
Ornithorhynchus, 329.

panava, Pectinaria (*Pectinaria*), 556.
Paraechinus aethiopicus ludlowi, 63.
Pareurythoë **pitipanaensis,** sp. n., 540.
parthenopeia, Halla, 548.
parvus, Stylodrilus, 435.
Pectinaria (*Pectinaria*) *panava*, 556.
pectinata, Synchaeta, 391.
Pedalia mira, 391.
pererai, *Branchiomma cingulata*, subsp. n., 558.
Petinomys genibarbis malaccanus, 565.
Pilonthus decorus, 406.
pitipanaensis, *Pareurythoë*, sp. n., 540.
Plecotus auritus, 138.
Polyarthra dolichoptera, 391.
polybranchia, Nephtys, 546.
Potamilla leptochaeta, 559.
Potamonautes emini, 402.
prasinus, Tropocyclops, 401.
Prionospio cirrifera, 554.
przewalskii, Equus, 425.
pseudoarmata, *Pulliella*, sp. n., 555.
Pseudochirus cooki, 329.
pulchella, Alona, 401.
pulchra, Kaloula, 163.
Pulliella **pseudoarmata,** sp. n., 555.
pusilla, Trichocerca, 391.
putris, Succinea, 445.

quadridentatus, Brachionus, 390.

Rana limnocharis, 163.
reticulata, Ceriodaphnia, 387.
Rhacophorus leucomystax, 163.
Rhinolophus ferrumequinum, 140.
rubescens, Ectocyclops phaleratus, 401.
russelli, Glauertia, 339.
ruthenus, Acipenser, 89.

sabaea, Vulpes rueppelli, 63.
salar, Salmo, 89.
Salmo, salar, 89.
Sarcophilus harrisi, 329.
saudiya, Gazella dorcas, 65.
schuurmanae, Mesocyclops (*Thermocyclops*), 388.
Sciurus carolinensis, 131.
Scolelepis indica, 554.
Scyllium canicula, 89.
serrulatus, Eucyclops, 401.
Setonyx brachyurus, 329.
Sialis lutaria, 487.
similis, Heteromastus, 554.
singularis, *Blossiola*, sp. n., 55.
singularis, Branchiocapitella, 555.
Sipalia circellaris, 406.
Solpuga celeripes, 49.
—— *strepsiceros* **nocturna,** subsp. n., 51.
Solpugema **broadleyi,** sp. n., 52.
Spirorbis (*Leodora*) **knightjonesi,** sp. n., 559.
Squalus acanthias, 89.
Staphylinus olens, 406.
stegmanni, Hystrix, 295.
stellatus, Acipenser, 89.
Stylodrilus, 431.
—— *asiaticus*, 436.
—— *aurantiacus*, 438.
—— *brachystylus*, 434.
—— *cernosvitovi*, 436.
—— *crassus*, 437.
—— *heringianus*, 433, 434.
—— *lankesteri*, 439.
—— *lemani*, 438.
—— *leucocephalus*, 435.
—— *mirus*, 436.
—— *opisthoannulatus*, 436.
—— *parvus*, 435.
—— *subcarpathicus*, 438.
—— *sulci*, 438.
subcarpathicus, Stylodrilus, 438.
Succinea putris, 445.
sulci, Stylodrilus, 438.
sylvaticus, Apodemus, 150.
Synchaeta pectinata, 391.
syrius, Meriones libycus, 71.

Tachyglossus, 329.
Talpa europaea, 134.
taprobanensis, *Glycera*, sp. n., 550.
Tatera, 323.
termitophila, *Hemiblossia*, sp. n., 57.
Tetramastix opoliensis, 392.
Tilapia, 302.
Trichocerca chattoni, 390.
—— *pusilla*, 391.
Trichosurus vulpecula johnstoni, 329.
trifasciata, Nereis, 543.
trigonellus, Cypridopsis, 401.
tropica, Keratella, 390.
Tropocyclops prasinus, 401.

tuxeni, *Zeriassa*, sp. n., 48.
Tylonereis bogoyawlenskyi, 543.

ulvae, Hydrobia, 25.

variegatus, Lithobius, 269.
vicinus, Homorocoryphus nitidulus, 203.
Vipera berus, 247.
vivipara, Lacerta, 247.
vocator, Jaculus jaculus, 66.
Vulpes rueppelli sabaea, 63.

Zeriassa **tuxeni,** sp. n., 48.